

UNCLASSIFIED

AD 410327

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

FINAL TECHNICAL REPORT

Period Covered by Report:

January 1, 1953 - August 31, 1962

Principal Investigator:

John P. Merrill, M.D.

Associate Clinical Professor of Medicine, Harvard Medical School
Physician, Peter Bent Brigham Hospital

Title of Report:

Metabolic Disorders and Therapeutic Approaches to Renal Failure

Contract Number:

DA-49-007-MD-429


ASTIA AVAILABILITY STATEMENT:

Qualified requestors may obtain copies of this report from ASTIA.

Security Classification:

NONE

410327



**Best
Available
Copy**

COMPREHENSIVE REPORT

A. Consolidated Summary

During the course of 10 years' work, we have demonstrated a number of effects of uremia upon metabolism. Rats with chronic uremia show a decrease in glucose uptake from the intestine and a marked decrease in liver glycogen as well as impairment of glucose utilization following a glucose load. Urea does not appear to be dispersed equally throughout the body but may have a higher intracellular concentration in some cells. The half-life of red blood cells infused into uremic patients is decreased and this increased destruction may be reversed by hemodialysis. The neurologic manifestations of uremia appear to be due to the generalized metabolic defect rather than to hypocalcemia. Cardiac arrhythmias are frequent in patients with uremia and may be produced by rapid changes of extracellular pH or levels of sodium and potassium. Patients with both acute and chronic renal failure have high serum citrate levels.

Patients deprived of all renal tissue do not develop hypertension unless they are overhydrated. This type of hypertension related to overhydration may be corrected by salt and water deprivation.

A technique has been devised for the management of chronic renal failure by periodic peritoneal irrigation through an inlying peritoneal conduit. An apparatus which will automatically cycle dialyzing fluid has been devised and is currently undergoing clinical trial. Four patients, so treated, have been maintained at home by peritoneal dialysis.

During the course of this work achievements in the field of clinical renal homotransplantation in man have been as follows: In 1954, the first successful transplantation of the kidney of identical twins. In 1959, the first successful transplantation of the kidney between nonidentical twins. In 1962,

the first successful transplantation of a totally unrelated cadaver kidney which has survived at the present for 15 months. More than 60 human renal homografts have been performed to date. Current techniques of immuno-suppressive therapy use drugs rather than radiation. With these techniques we have demonstrated that partial tolerance for a transplanted kidney may be obtained and that rejection once again may be aborted by drug therapy. At the present time, five patients are alive and in good health with kidneys transplanted from other than twins.

A technique has been evolved for the demonstration of degrees of histocompatibility between humans based on the degree of accelerated rejection of skin placed on different donors following prior transplantation of the skin from the first member of the pair to be tested.

It has been possible to elute antibody from a rejecting kidney and to reject this with soluble antigen from donor platelets in an in vitro system, employing complement fixation.

P. Significance of these results:

The results referred to above have led to better understanding of the metabolic abnormalities in uremia and have enabled us to proceed with more effective techniques for therapy. Ultimately, we believe the most satisfactory solution to the problem of chronic renal failure will be transplantation of the kidney. The work discussed above represents the progress in some of the fields which must be thoroughly explored before this can be generally feasible. However, it is now possible in certain instances to restore an individual with terminal uremia to full activity for periods as long as 15 months by the transplantation of unrelated kidney.

BIBLIOGRAPHY

1. Finkenstaedt, J.T., O'Shea, R.P., Merrill, J.P.: Failure of Equilibration of Inulin in Anuric Subjects. J.Clin. Invest. **32:209**, 1953.
2. Legrain, M., Merrill, J.P.: Short-term Continuous Transperitoneal Dialysis. New Eng. J. Med. **248:125**, Jan. 1953.
3. Finkenstaedt, J.T., O'Shea, R.P., Merrill, J.P.: Observations on the volume of Distribution of Inulin in Anuric Subjects. J.Clin. Invest. **32:209**, March 1953.
4. Swan, R.C., Merrill, J.P.: The Clinical Course of Acute Renal Failure. Medicine **32:215**, May 1953.
5. Weller, J.H., Swan, R.C., Merrill, J.P.: Changes in Acid-base Balance of Chronic Patients during Hemodialysis. J. Clin. Invest. **32:729**, Aug. 1953.
6. Macker, J., Merrill, J.P.: Chronic Pericarditis in Acute and Chronic Renal Failure. A.M.A. **156:764**, Oct. 1954.
7. Weller, J.H., Swan, R.C., Moigne, R.V., Wyatt, R.P., Criscitello, R.G., Merrill, J.P. and Levine, S.A.: Effects of Acute Removal of Potassium from Dogs. Changes in ECG. Circ. **11:44**, Jan. 1955.
8. Swan, R.C., Merrill, J.P., Miller, R.P., Thorn, G.W.: Experiences with Renal Homotransplantation in the Human. Report of 9 Cases. J.Clin. Invest. **34:327**, Feb. 1955.
9. Merrill, J.P.; Harrison, J.H., Murray, J.H., Guild, W.R.: Successful Homotransplantation of the kidney in an identical twin. Trans. Am. Clin. Climatol. Assoc. **67:167**, 1955.
10. Levine, S.A., Wanzer, S.H., Merrill, J.P.: Dialyzable Currents of Injury in Stassium Intoxication Resembling Acute Myocardial Infarction or Pericarditis. Circ. **13:29**, 1956.
11. Merrill, J.P., Murray, J.H., Harrison, J.H., Guild, W.R.: Successful Homotransplantation of the human kidney between identical twins. J.A.M.A. **160:277**, 1956.
12. Finkenstaedt, J.T., Merrill, J.P.: Renal Function after Recovery from Acute Renal Failure. New Eng. J. Med. **254:1023**, May 1956.
13. Bricker, S.S., Guild, W.R., Reardan, J.H., Merrill, J.P.: Studies on the Functional Capacity of a Denervated Homotransplanted Kidney in an identical twin with Parallel Observations in the Dog. J. Clin. Invest. **35:1304**, Dec. 1956.
14. Finkenstaedt, J.T., Ruiz-Quinazu, C., Ornan, L., Harrison, S.H., Merrill, J.P.: Experimental Acute Potassium Depletion in Dogs. Clin. Sci. **16:171**, Feb. 1957.

15. Spence, J.R., Guild, W.R., Merrill, J.P.: Citrate Metabolism in Uremia. J. App. Physiol. 11:231, Sept. 1957.
16. Rees, S.B., Schweitlin, W.G., Pond, J.C., McKenna, T.J., Guild, W.R., Merrill, J.P.: Effect of dialysis and Purine Ribosides upon the Anemia of Uremia. J. Clin. Invest. 36:923, 1957.
17. Boucot, R.G., Guild, W.R., Merrill, J.P.: Carbohydrate Metabolism in Rats with Acute Uremia, Am. J. Physiol. 192:30, Jan. 1958.
18. Meyer, R., Straffon, R.M., Rees, S.B., Guild, W.R., Merrill, J.P.: A Laboratory and Clinical Evaluation of the Kolff Cell Kidney. J. Lab. Clin. Med. 51:715, May 1958.
19. Murray, J.B., Merrill, J.P., Harrison, J.H.: Kidney Transplantation between 7 Pairs of Identical Twins. Ann. Surg. 148:343, 1958.
20. Facker, R.A., Meller, J.M., Merrill, J.P.: Postdialysis Acid-base Balance of Patients with Chronic Uremia. Am. J. Med Sci. 236:567, Nov. 1958.
21. Kunin, C.M., Rees, S.B., Merrill, J.P., Finland, M.: Persistence of Antibiotics in Blood of Patients with Acute Renal Failure. I. Tetracycline and Chlorotetracycline. J. Clin. Invest. 38:1457, Sept. 1959.
22. Merrill, J.P., Murray, J.B., Harrison, J.H., Friedman, L.M., Dealy, J.B. Jr., and Sammin, G.J.: Successful Homotransplantation of the Kidney between Nonidentical Twins. New Eng. J. Med. 262:1251, 1960.
23. Boucot, R.G., Hurior, E.L., Merrill, J.P.: Carbohydrate Metabolism in Rats with Chronic Uremia. Am. J. Physiol. 198:797, April 1960.
24. McDonald, R.M., Jr., Merrill, J.P.: A Disposable Parallel Flow Unit for the MacNeill-Milling Artificial Kidney: Description and Evaluation. Trans. Am. Soc. Art. Int. Organs 6:7, 1960
25. Murray, J.B., Merrill, J.P., Sammin, G.J., Dealy, J.B., Walter, J.M., Brooke, R.M., Wilson, R.B.: Study on Transplantation Immunity After Total Body Irradiation: Clinical and Experimental Investigation. Surg. 48:272, July 1960.
26. Merrill, J.P., Haraue, L., Sawa, R.B.: A Demonstration of a Cytotoxic Effect in Vitro Following the Rejection of Skin Grafts by the Rabbit. Ann. N.Y. Acad. Sci. 87:266, May 1960.
27. Flinn, R.B., Merrill, J.P., Welsant, W.L.: Treatment of the Oliguric Patient with a New Sodium-Exchange Resin and Sorbitol: A Preliminary Report. New Eng. J. Med. 264:111, Jan. 1961.
28. Welsant, W.L., Merrill, J.P., Crane, L., Alvan, A.: Use of the Cellon Arterio-venous Bypass, Trans. Am. Soc. Artif. Int. Organs 7:125, 1961.

29. Merrill, J.P., Friedman, E.A., Wilson, R.E., Marshall, D.C.: The Production of "Delayed Type" cutaneous Hypersensitivity to Human Donor Leukocytes as a Result of the Rejection of Skin Homografts. J. Clin. Invest. 40:631, April 1961.
30. Hager, E.B., Merrill, J.P.: Peritoneal Dialysis and Acute Renal Failure. Surg. Clin. of No. Am. 43:883, 1963.
31. Merrill, J.P., Haman, Solotto: A New Technique for the Study of Cytotoxic Antibody in Vivo. 79:596, 1962. Ann. N.Y. Acad. Sci.
32. Murray, J.R. Merrill, J.P., Harrison, J.H., Wilson, R.E., Damm, G.J.: Prolonged Survival of Human-Kidney Homografts by Immunosuppressive Drug Therapy. New Eng. J. Med. 268:1315, 1963.

5) 695200 748 NA N-63

10

AD No. 410322

DDC FILE COPY

FINAL TECHNICAL DATA

Period covered by report:
Final Technical Report
January 1 1953 - August 31 1962

Principal Investigator: 10 by

John P. Merrill, M.D.
Associate Clinical Professor of Medicine, Harvard Medical School
Physician, Peter Bent Brigham Hospital

6 Title of report: 748 NA
Metabolic Disorders and Therapeutic Approaches to Renal Failure.

15 Contract Number:
DA-49-007-MD-429

11 31 Aug 62,
12 2p. 13 NA
14 NA

ASTIA AVAILABILITY STATEMENT:

Qualified requestors may obtain copies of this report from ASTIA.

Security Classification:

NONE

16-19 NA
20 NA
21 NA

5-11-6

4
Ad-257301
Ord-410301

RECEIVED
JUL 27 1963
TSA 3

COMPREHENSIVE REPORT

A. Consolidated Summary

During the course of 10 years' work, we have demonstrated a number of effects of uremia upon metabolism. Rats with chronic uremia show a decrease in glucose uptake from the intestine and a marked decrease in liver glycogen as well as impairment of glucose utilization following a glucose load. Urea does not appear to be dispersed equally throughout the body but may have a higher intracellular concentration in some cells. The half-life of red blood cells infused into uremic patients is decreased and this increased destruction may be reversed by hemodialysis. The neurologic manifestations of uremia appear to be due to the generalized metabolic defect rather than to hypocalcemia. Cardiac arrhythmias are frequent in patients with uremia and may be produced by rapid changes of extracellular pH or levels of sodium and potassium. Patients with both acute and chronic renal failure have high serum citrate levels.

Patients deprived of all renal tissue do not develop hypertension unless they are overhydrated. This type of hypertension related to overhydration may be corrected by salt and water deprivation.

A technique has been devised for the management of chronic renal failure by periodic peritoneal irrigation through an inlying peritoneal conduit. An apparatus which will automatically cycle dialyzing fluid has been devised and is currently undergoing clinical trial. Four patients, so treated, have been maintained at home by peritoneal dialysis.

During the course of this work achievements in the field of clinical renal homotransplantation in man have been as follows: In 1954, the first successful transplantation of the kidney of identical twins. In 1959, the first successful transplantation of the kidney between nonidentical twins. In 1962,

the first successful transplantation of a totally unrelated cadaver kidney which has survived at the present for 15 months. More than 60 human renal homografts have been performed to date. Current techniques of immuno-suppressive therapy use drugs rather than radiation. With these techniques we have demonstrated that partial tolerance for a transplanted kidney may be obtained and that rejection once again may be aborted by drug therapy. At the present time, five patients are alive and in good health with kidneys transplanted from other than twins.

A technique has been evolved for the demonstration of degrees of histocompatibility between humans based on the degree of accelerated rejection of skin placed on different donors following prior transplantation of the skin from the first member of the pair to be tested.

It has been possible to elute antibody from a rejecting kidney and to reject this with soluble antigen from donor platelets in an in vitro system, employing complement fixation.

B. Significance of these results:

of this study
 The results ~~referred to above~~ have led to better understanding of the metabolic abnormalities in uremia, ~~and have enabled us to proceed with more~~ effective techniques for therapy. Ultimately, we believe the most satisfactory solution to the problem of chronic renal failure will be transplantation of the kidney. The work discussed ^{in the report} ~~above~~ represents the progress in some of the fields which must be thoroughly explored before this can be generally feasible. However, ~~it~~ ^{It} is now possible in certain instances to restore an individual with terminal uremia to full activity for periods as long as 15 months by the transplantation of unrelated kidney.

BIBLIOGRAPHY

1. Finkenstaedt, J.T., O'Hearn, M.P., Merrill, J.P.: Failure of Equilibration of Inulin in Anuric Subjects. J.Clin. Invest. 32:209, 1953.
2. Lagrain, M., Merrill, J.P.: Short-term Continuous Transperitoneal Dialysis. New Eng. J. Med. 248:125, Jan. 1953.
3. Finkenstaedt, J.T., O'Hearn, M.P., Merrill, J.P.: Observations on the volume of Distribution of Inulin in Anuric Subjects. J.Clin. Invest. 32:209, March 1953.
4. Swan, R.C., Merrill, J.P.: The Clinical Course of Acute Renal Failure. Medicine 32:215, May 1953.
5. Waller, J.M., Swan, R.C., Merrill, J.P.: Changes in Acid-base Balance of Uremic Patients during Hemodialysis. J. Clin. Invest. 32:729, Aug. 1953.
6. Wacker, W., Merrill, J.P.: Uremic Pericarditis in Acute and Chronic Renal Failure. J.A.M.A. 156:764, Oct. 1954.
7. Waller, J.M., Lowm, B., Hoigne, R.V., Wyatt, N.F., Criscitelle, M.G., Merrill, J.P. and Levine, S.A.: Effects of Acute Removal of Potassium from Dogs. Changes in EKG. Circ. 11:44, Jan. 1955.
8. Hume, D.M., Merrill, J.P., Miller, B.F., Thorn, G.W.: Experiences with Renal Homotransplantation in the Human. Report of 9 Cases. J.Clin. Invest. 34:227, Feb. 1955.
9. Merrill, J.P.; Harrison, J.H., Murray, J.E., Guild, W.R.: Successful Homotransplantation of the kidney in an identical twin. Trans. Am. Clin. Climatol. Assoc. 67:167, 1955.
10. Levine, H.D., Wanser, S.H., Merrill, J.P.: Dialysable Currents of Injury in Potassium Intoxication Resembling Acute Myocardial Infarction or Pericarditis. Circ. 13:29, 1956.
11. Merrill, J.P., Murray, J.E., Harrison, J.H., Guild, W.R.: Successful Homotransplantation of the Human Kidney Between Identical Twins. J.A.M.A. 160:277, 1956.
12. Finkenstaedt, J.T., Merrill, J.P.: Renal Function after Recovery from Acute Renal Failure. New Eng. J. Med. 254:1023, May 1956.
13. Bricker, N.S., Guild, W.R., Reardan, J.B., Merrill, J.P.: Studies on the Functional Capacity of a Denervated Homotransplanted Kidney in an Identical Twin with Parallel Observations in the Donor. J. Clin. Invest. 35:1364, Dec. 1956.
14. Finkenstaedt, J.T., Ruiz-Guinasu, A., Moreau, L., Morrison, R.S., Merrill, J.P.: Experimental Acute Potassium Depletion in Dogs. Clin. Sci. 16:171, Feb. 1957.

15. Pearce, J.M., Guild, W.R., Merrill, J.P.: Citrate Metabolism in Uremia. J. App. Physiol. 11:231, Sept. 1957.
16. Rees, S.B., Scheitlin, W.G., Pond, J.C., McManus, T.J., Guild, W.R., Merrill, J.P.: Effect of dialysis and Purine Ribosides upon the Anemia of Uremia. J. Clin. Invest. 36:923, 1957.
17. Boucrot, N.G., Guild, W.R., Merrill, J.P.: Carbohydrate Metabolism in Rats with Acute Uremia, Am. J. Physiol. 192:30, Jan. 1958.
18. Meyer, R., Straffon, R.A., Rees, S.B., Guild, W.R., Merrill, J.P.: A Laboratory and Clinical Evaluation of the Kolff Coil Kidney. J. Lab. Clin. Med. 51:715, May 1958.
19. Murray, J.E., Merrill, J.P., Harrison, J.H.: Kidney Transplantation between 7 Pairs of Identical Twins. Ann. Surg. 148:343, 1958.
20. Tucker, D.A., Weller, J.M., Merrill, J.P.: Postdialysis Acid-base Balance of Patients with Chronic Uremia. Am. J. Med Sci. 236:567, Nov. 1958.
21. Kunin, C.M., Rees, S.B., Merrill, J.P., Finland, M.: Persistence of Antibiotics in Blood of Patients with Acute Renal Failure. I. Tetracycline and Chlortetracycline. J. Clin. Invest. 38:1487, Sept. 1959.
22. Merrill, J.P., Murray, J.E., Harrison, J.H., Friedman, E.A., Dealy, J.B. Jr., and Damm, G.J.: Successful Homotransplantation of the Kidney between Nonidentical Twins. New Eng. J. Med. 262:1251, 1960.
23. Boucrot, N.G., Nurse, E.L., Merrill, J.P.: Carbohydrate Metabolism in Rats with Chronic Uremia. Am. J. Physiol. 198:797, April 1960.
24. McDonald, H.P., Jr., Merrill, J.P.: A Disposable Parallel Flow Unit for the MacNeill-Collins Artificial Kidney: Description and Evaluation. Trans. Am. Soc. Art. Int. Organs 6:7, 1960
25. Murray, J.E., Merrill, J.P., Damm, G.J., Dealy, J.B., Walter, C.W., Brooke, M.S., Wilson, R.E.: Study on Transplantation Immunity After Total Body Irradiation: Clinical and Experimental Investigation. Surg. 48:272, July 1960.
26. Merrill, J. ., Hanau, C., Hayes, M.D.: A Demonstration of a Cytotoxic Effect in Vitro Following the Rejection of Skin Grafts by the Rabbit. Ann. N.Y. Acad. Sci. 87:266, May 1960.
27. Flinn, R.B., Merrill, J.P., Welsant, W.R.: Treatment of the Oliguric Patient with a New Sodium-Exchange Resin and Sorbitol: A Preliminary Report. New Eng. J. Med. 264:1111, Jan. 1961.
28. Welsant, W.R., Merrill, J.P., Crane, C., Alvan, R.: Use of the Teflon Arterio-venous Bypass, Trans. Am Soc. Artif. Int. Organs 7:125, 1961.

29. Merrill, J.P., Friedman, E.A., Wilson, R.E., Marshall, D.C.: The Production of "Delayed Type" cutaneous Hypersensitivity to Human Donor Leukocytes as a Result of the Rejection of Skin Homografts. J. Clin. Invest. 40:631, April 1961.
30. Hager, E.B., Merrill, J.P.: Peritoneal Dialysis and Acute Renal Failure. Surg. Clin. of No. Am. 43:883, 1963.
31. Merrill, J.P., Hansen, Colette: A New Technique for the Study of Cytotoxic Antibody in Vivo. 99:596, 1962. Ann. N.Y. Acad. Sci.
32. Murray, J.E. Merrill, J.P., Harrison, J.H., Wilson, R.E., Damm, G.J.: Prolonged Survival of Human-Kidney Homografts by Immunosuppressive Drug Therapy. New Eng. J. Med. 268:1315, 1963.